

Beauty · Strength · Durability
Aluminum Entry Gates

1000 Series

Aluminum Entry U-Frame Gates

		Single U-Frame Gate Width									
		84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
36"	Post Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"
	Sam U-Frame	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Rail Size	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Pocket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
42"	Post Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"
	Sam U-Frame	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Rail Size	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Pocket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
48"	Post Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"
	Sam U-Frame	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Rail Size	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Pocket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
54"	Post Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"
	Sam U-Frame	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Rail Size	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Pocket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
60"	Post Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"
	Sam U-Frame	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Rail Size	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Pocket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"
72"	Post Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"	2" x 2"
	Sam U-Frame	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Rail Size	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"	1 1/2" x 1"
	Pocket Size	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"	3/4" x 3/4"



Heavy-Duty Powder-Coated Gate Hardware is available for all Aluminum Entry U-Frame Gates. The Heavy-Duty Gate Hardware can be powder-coated in any of our standard colors or in the same color to match your gate.



2000 Series

Aluminum Entry U-Frame Gates

		Single U-Frame Gate Width									
		84"	96"	108"	120"	132"	144"	156"	168"	180"	192"
48"	Foot Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"
	End U-Frame	1 1/2"x3"	1 1/2"x3"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"
	Rail Size	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"
	Picket Size	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"
54"	Foot Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"
	End U-Frame	1 1/2"x3"	1 1/2"x3"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"
	Rail Size	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"
	Picket Size	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"
60"	Foot Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"
	End U-Frame	1 1/2"x3"	1 1/2"x3"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"
	Rail Size	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"
	Picket Size	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"
72"	Foot Size	4"	4"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"
	End U-Frame	1 1/2"x3"	1 1/2"x3"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"
	Rail Size	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"
	Picket Size	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"
84"	Foot Size	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"
	End U-Frame	1 1/2"x3"	1 1/2"x3"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"
	Rail Size	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"
	Picket Size	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"
96"	Foot Size	6"	6"	6"	6"	6"	6"	6"	6"	6"	6"
	Side U-Frame	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"	2"x2"
	End U-Frame	1 1/2"x3"	1 1/2"x3"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"	1 1/2"x3 1/2"
	Rail Size	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"	1 1/2"x1 1/2"
	Picket Size	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"	1"x1"



The Spear is standard with an option of a Quad or Triad finial. The Quad and Triad finials can either be the same color as your gate or powder coated with the Gold option.



Entry Gates

Aluminum U-Frame Gates



U-Frame Gate Features

- Strong Heavy-Duty U-Frame Construction.
- All-Gates Welded - No Screws.
- Elegant Streamlined Design.
- Meets ASTM Standards for Automatic Gate Openers.
- Eliminates Bracing for Single Gates 12' and Under.
- Heavy Wall Gate Posts.
- Single Gates up to 16' Wide.
- Double Gates up to 32' Wide.
- Verified AAMA 2604 Compliant Powder Coated Aluminum Gates Standard.




Aluminum Walk Gates

Standard and U-Frame Gates



Model 1298L, Satin Black,
36" Wide Single Gate



Model 1299, Satin Black,
37" Wide Single Gate with Bracing



Model 1299, Black Fine Texture with
Cold Chisel Finish, 48" Wide Single
U-Frame Gate with Arch Option

Standard Walk Gate

- Available: "Standard" and "Perfect-Fit" Styles.
- Single Gates: 36", 42", 48", 60" and 72".
- Double Gates: 72", 84", 96", 108" and 144".
- Bracing used on single gates over 48" wide and double gates over 96" wide.

U-Frame Walk Gate

- Standard "U-Frame" Gates.
- Single Gates: 36", 42", 48", 60" and 72".
- Double Gates: 72", 84", 96", 108" and 144".
- No Bracing Required with "U-Frame" Gates.

Colors

Standard Colors Shown Below - Custom Colors Available



Satin Black



Black
Fine Texture



Sandy Bronze



Bronze
Fine Texture



Black Bridge



Gloss White



White Fine
Texture



Brown
Fine Texture



Spiced
Walnut



Sandy Shore



Chocolate



Silver



Gold Option

Colors shown are a close representation of the true color. Please consult actual samples for accurate powder coating colors.
12 Standard Colors available, Custom colors are available. ANMA/AAOQ Colors are Special Order.



diggerspecialties.com

We warrant that we made the gates constructed from aluminum to the right dimensions and the color finishes color, finish, equipment and usability. Dimensions information may have been updated since the time publishing and we are not responsible for any updates or changes to our website about this or any other products. ©Digger Specialties 2018 07/24/18 10000