





MADE IN THE USA

**Westbury**<sup>®</sup>  
aluminum railing

# Welcome Home

Home is the foundation that supports the rest of everything in life.



CCRR-0163

Tuscany C10  
Rivers C30, C30R, C31, C32, C33, C34

CCRR-0163 complies with IBC, IRC, and FBC






You cherish your home and embrace your family and friends. You work hard to create a place where you can spend quality time enjoying your life's journey.

Westbury® Aluminum Railing adds a level of beauty, distinction, and lasting value to your home.





























- By selecting the color that fits your home, you are adding beauty.
- By selecting the design that fits your lifestyle, you are adding distinction.
- By selecting one of our virtually maintenance-free aluminum railing systems, you are adding lasting value.

We welcome you home with Westbury® Aluminum Railing.



# Welcome Home

## CONTENTS

		Tuscany . . . . .	4
		Montego . . . . .	6
		Riviera . . . . .	8
		Riviera "R" . . . . .	10
		Riviera I . . . . .	11
		Riviera II . . . . .	12
		Riviera III . . . . .	14
		Riviera IV . . . . .	15
		Veranda . . . . .	16
		Drink Rail . . . . .	18
		Powder Coating . . . . .	20
		Colors . . . . .	21
		Accessories . . . . .	22
		Aluminum Continuous Handrail . . .	23

## TESTING RESULTS

CCRR-0163 complies with IBC, IRC, and FBC. The following Westbury® Railing Products are included in CCRR-0163: C10, C101, C30, C301, C30R, C301R, C31, C311, C32, C321, C33, C331, C34, C341, C70, C80, 2 1/2" Power Post, 4" Plain Post, and 2" Heavy Duty Post.

*Note: Please check with local code authorities for requirements.*


**A** Style: Tuscany  
Color: Bronze Fine Texture


**B** Style: Montego  
Color: Black Fine Texture

**C** Style: Riviera  
Color: Bronze Fine Texture

**D** Style: Veranda  
Color: Satin Black

**E** Style: Montego (Special 3-Rail)  
Color: Satin Black





### Style C10\*

From the stylish top rail to the classic bottom rail to the ideal 3/4" square balusters, Style C10 complements the most distinguished decks and patios.

### Style C101

If you prefer a more open viewing area with the classic look of balusters, Style C101 does just that. The 3/4" round balusters leave an airy feeling while maintaining the security of an enclosed railing.

▲ Style C10 Balcony  
Color: Satin Black

■ Style C101  
Color: Black  
Top Feature

\*C101-C103 complies with IRC, IBC, and PBC



Wetbury Railings

# Tuscany



C10\*



C11

## SPECIFICATIONS

- Railing Height: 36", 42"
- Railing Lengths: 4', 6', 8', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C10 Baluster: 3/4" x 3/4" x (845) wall
- C11 Baluster: 3/4" Round (850) wall
- Baluster Spacing: 3,635; 3,645 Stairs
- Stylish Top-Rail: 1-3/4" w (890) x 1-3/8" x (885)
- Bottom-Rail: 1-3/4" w (890) x 1-5/8" x (885)
- Vinyl Inset Baluster Retainer (Top and Bottom rails)
- Bottom-Rail Support: 7", 8"
- Adjustable Gates: 36"W, 48"W, and 60"W Openings

NOTE: Baluster center spacing may vary by length.  
All functions are not covered with stainless steel and shown above.



Top Rail Profile

A stylish 1-3/4" x 1-3/8" top rail combined with the 1-3/4" x 1-5/8" classic bottom rail creates a streamlined design case to appeal to those with a touch of class.



Bottom Rail Profile



**E** Style: C10 With Level  
Connector Post  
Color: Bronze Pine Texture

**F** Style: C10 With Level  
Connector Post  
Color: Satin Black


**G** Style: C11 Adjustable Gate

©2008-2014 compatible with (B6), (B8), and (B9)



"For it's strength" features

For Stair Rail Racking Information visit our website.



- A** Style: C20 Radius  
 Material: 3 Rail  
 Color: Satin Black
- B** Style: C20 Radius  
 Color: Satin Black
- C** Style: C20 Radius  
 Color: Satin Black

# Montego

## Style C20

Montego creates an eye-catching design with the curved lines of the architectural balusters and a definitive 2-rail design. You'll want to roll out the red carpet for these luxurious designs.



C20



Style C20  
Color: Satin Black

### SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- Architectural Baluster: 3/4" x 3/4" x (62" w/d)
- Architectural Baluster Spacing: 3-6/8"; 3-6/8" Stairs
- Stylish Top Rail: 1-3/4" w/d (2801) x 1-3/8" x (2891)
- Bottom Rail: 3-3/8" w/d (2892) x 1-1/4" x (2893)
- Vinyl Insert Baluster Retainer (Top and Bottom Rails)
- Bottom Rail Support: 7", 8"

NOTE: Baluster and spacing may vary by length.  
All rail sections do not come out even on each end as shown above.



Top Rail Profile

The eye-catching shapes of the rails compliment the contour of the architectural balusters.



Bottom Rail Profile



### Style C30\*

With the open top space and 3/4" balusters filling in the bottom area, Style C30 adds a rich presence to your outdoor living space.



### Style C301

For a unique look to fit your personality, Style C301 opens your view by utilizing 3/4" round balusters.



- A** Style C30  
With Lined  
Glassover Panel  
Color: Satin Black
- B** Style C30  
Color: Satin Black
- C** Style C30  
Color: Satin Black
- D** Style C30  
Color: Satin Black

Note: 7 1/2" Section Center Pocket  
Between Mid and Top Rail

CC305-004 compatible with DMC, ERC, and FRC

[www.wixburymetal.com](http://www.wixburymetal.com) "Fit 4" through 4" Sections



# Riviera

## Styles C30\* & C301



C30\*

C301

### SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4, 5, 6, 7, 8"
- Stair Rail Lengths\*: 4, 5, 6, 7, 8"
- C30 Baluster: 3/4" x 3/4" x (1045" wall)
- C301 Baluster: 3/4" Round (1050" wall)
- Baluster Spacing: 3 3/8"; 3 3/4" Stairs
- Stylish Top Rail: 1-3/4" x (1050") x 1-3/8" x (1050")
- Mid Rail: 1-3/8" x (1050") x 1/2" x (1050")
- Bottom Rail: 1-3/4" x (1050") x 1-1/4" x (1050")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 1, 2, 3, 4"
- Adjustable Gates: 36"W, 48"W, and 60"W Openings.

NOTE: Baluster and spacing may vary by length.  
 All sections do not extend past or reach end as shown above.  
 \* If rail sections have center supports between top and mid rail.  
 All rail sections have mid rail support.



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile

A sleek designed top rail and the aesthetically shaped mid and bottom rails create a harmonious appearance.



■ Style: C30  
 Color: Bronze  
 Rail Texture

■ Style: C30 Adjustable Gate



True-Close Ring



Lock Latch Deluxe, Back



Lock Latch Deluxe, Front



Magna Latch

C30& C301 complies with IRC, IBC, and IFBC



\*For 4" Strength & Sections

# Riviera "R"

## Styles C30R\* & C301R

Adding rings to the 3-rail design gives it a sophisticated appearance. With an option of Style C30R 3/4" square or Style C301R 1/4" round balusters, you can create your own design to fit your lifestyle.



C30R\*

C301R

### SP (C311C & T104C)

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Length(s): 4', 5', 6', 7', 8'
- C30R Baluster: 3/4" x 3/4" x (1045" wall)
- C301R Baluster: 1/4" Round (1045" wall)
- Baluster Spacing: 3695", 3420" Stairs
- Stylish Top Rail: 1-3/4" x (1095") x 1-3/8" x (1045")
- Mid Rail: 1-3/4" x (1095") x 1-3/4" x (1095")
- Bottom Rail: 1-3/4" x (1095") x 1-5/8" x (1095")
- Vinyl/Steel Baluster Bracket (Top, Mid and Bottom Rail)
- Bottom Rail Support: 5', 6', 7', 8'
- Adjustable Gates: 36" W, 48" W, and 60" W Spacings

NOTE: Baluster and spacing may vary by length.  
All sections should come out even on each end as shown above.



**A** Style C30R  
Color: Gloss White

**B** Style C301R  
Color: Black Fine Texture

**C** Style C30R Adjustable Gate



C



**The Stair Rail Backing Information visit our website.**

C30R-4000 complies with IRC, IBC, and ENF.



"Fit it through it" sections



C31

C311

# Riviera I

## Styles C31\* & C311

You can create a high quality appearance with the designs of Style C31 or C311. Style C31 utilizes a 3-rail design including 3/4" square balusters while Style C311 is comprised of the 3-rail design along with 3/4" round balusters.

### SPECIFICATIONS

- Railing Height: 36", 42"
- Railing Length: 4, 5, 6, 7, 8'
- Stair Rail Length: 4, 5, 6, 7, 8'
- C31 Baluster: 3/4" x 3/4" (1045" w/d)
- C311 Baluster: 3/4" Round (1052" w/d)
- Baluster Spacing: 36", 48" Stairs
- Style Top Rail: 1-3/4" x (1001" x 1-3/4" x (1001"
- Mid Rail: 1-3/8" x (1074" x 1-3/8" x (1074"
- Bottom Rail: 1-3/4" x (1001" x 1-3/4" x (1001"
- Vinyl/Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5, 6, 7, 8'
- Adjustable Gates: 36", 48", 60" and 60" W Openings

NOTE: Balusters not shown this way to length.  
All measurements not shown cut from an end view and are approximate.



Top Rail Profile



Mid Rail Profile



Bottom Rail Profile



▲ Style C31  
Color: Glass White

CC300-4104 complies with IRC, IBC, and IFBC



The #1 Strongest Section

For Stair Rail Railing Information visit our website.

[www.vinylrailing.com](http://www.vinylrailing.com) • Monterey® Aluminum Railing 11



### Style C32\*

The unparalleled design of Style C32 is created by the stylish top rail, classic rail and bottom rails, and 3/4" square balusters.

### Style C321

Another option is the smooth feel of Style C321 created by 3/4" round balusters.

- A** Style: C32  
Color: Bronze  
Fin Texture
- B** Style: C321  
Color: Glass White
- C** Style: C321  
Color: Spackled Walnut




CCRS-4941 complies with IRC, IBC, and IFBC



\*For 4" through 6" Sections

# Riviera II



## Styles C33<sup>®</sup> & C31

The Riviera II Series embraces a grand statement by taking the ordinary to the extraordinary. The look and feel of every other Baluster in the top section complements the full balusters below.

### SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C33 Baluster: 3/4" x 3/4" x (540° wall)
- C31 Baluster: 3/4" Round (560° wall)
- Baluster Spacing: 3:8:3; 3:6:3; Stairs
- Stylish Top-Rail: 1-3/4" w (1000") x 1-3/8" s (1000")
- Mid-Rail: 1-3/8" w (1000") x 1-1/8" s (1000")
- Bottom-Rail: 1-3/4" w (1000") x 1-1/4" s (1000")
- Wind Insert Baluster Retainer (Top, Mid and Bottom Rails)
- Bottom-Rail Support: 5', 6', 7', 8'
- Adjustable Gases: 36"W, 48"W, and 60"W Openings

NOTE: Baluster spacing may vary by length.  
All balusters do not extend over smooth and without stone.



► Style C33  
Color: Snow White

CECBA-000-complies with ICC, IRC, and IBC.



"Go it through it" Series

# Riviera III

## Styles C33\* & C331

Riviera III Series encompasses the 3-rail design with a unique top design. This design places every third baluster in the top section while the bottom section contains balusters within the entire section. Style C33 is created with 3/4" square balusters. Style C331 captures a different feel with 3/4" round balusters.



C33\*

C331

### SPECIFICATIONS

- Railing Height: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C33 Baluster: 3/4" x 3/4" x (24" wall)
- C331 Baluster: 3/4" Round (24" wall)
- Baluster Spacing: 3-8 1/2", 3-6 1/2" Stairs
- Style# Top Rail: 1-3/4" x (2000") x 1-3/8" x (2000")
- Mid Rail: 1-3/4" x (2000") x 1-1/4" x (2000")
- Bottom Rail: 1-3/4" x (2000") x 1-1/4" x (1200")
- Vinyl Inset: Baluster Remover (Top, Mid and Bottom Rails)
- Bottom Rail Support: 5, 6, 7, 8
- Adjustable Gates: 36"W, 48"W, and 60"W Openings

NOTE: Inset and spacing may vary slightly.  
All sections shown come with a base on each end unless shown otherwise.



▲ Style C33  
Color: Galin Black

■ Style C331  
Color: Galin Black




C330-094 comes with BIC, BIC, and PBC

[View our website](#) The 4' through 8' Section

\*For Stair Rail Railing Information visit our website.

# Riviera IV



## SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4', 5', 6', 7', 8'
- Stair Rail Lengths: 4', 5', 6', 7', 8'
- C34 Baluster: 3/4" x 3/4" x (1045" wall)
- C34I Baluster: 3/4" Round (1045" wall)
- Baluster Spacing: 3825', 3825' Stairs
- Style Top Rail: 1-3/4" w/ (1067" x 1-3/8" (1067")
- Mid Rail: 1-3/4" w/ (1075" x 1-3/4" (1075")
- Bottom Rail: 1-3/4" w/ (1067" x 1-3/4" (1067")
- Vinyl Insert Baluster Retainer (Top, Mid and Bottom Rail)
- Bottom Rail Support: 5', 6', 7', 8'
- Adjustable Gates: 36"W, 48"W, and 60"W Openings

NOTE: Baluster and spacing may vary by length.  
All sections fit into system but each connects with its chosen above.



Top Rail Profile

Mid Rail Profile



Bottom Rail Profile


C34I-Baluster complements with IBC, IBC, and IBC



"Be it through it Series"

## Styles C34\* & C34I

For a more delicate appearance, the Riviera IV Series takes every fourth Baluster to the top rail with a bottom section full of balusters. Style C34 has 3/4" square balusters while Style C34I is complimented with 3/4" round balusters.




© Style C34  
Color: Satin Black

© Style C34I Adjustable Gate



A



**A** Style: E70  
Color: Black  
View: Frameless  
with Clear Glass

**B** Style: C10  
Color: Slate/Black  
with Clear Glass





#### SPECIFICATIONS

- Railing Heights: 36", 42"
- Railing Lengths: 4, 5, 6'
- Stair Rail Lengths: All Stair Rails are Custom Ordered
- Glass Panel: 1/4" Tempered Glass Standard
- Standard Glass Panel Color: Clear  
Special Order Colors: Bronze, Grey
- Optional 3/8" Tempered Glass Rails Available  
(3/8" Glass NOT Available Through CBS)
- Stylish Top Rail: 1-3/4" w x (1.083") x 1-1/8" t (1.083")
- Bottom Rail: 1-3/4" w x (1.083") x 1-1/4" t (1.083")
- EPDM Gaskets: Top and Bottom Rails
- Welded Bases: 36"W, 48"W, and 60"W Openings  
(Custom Sizes Available through Tech Services)

NOT: Glass and opening necessary details are not shown.  
All sections do not extend past each end and are non-extendable.



Top Rail Profile

The stylish top rail and glass bottom rail securely hold glass panels in place.




Bottom Rail Profile



# Veranda

## Style C70

Veranda creates a phenomenal viewing area. The crystal clear design incorporates full glass panels into the classic 2-rail design. Whether you have a view of land or water, Veranda gives you an open concept with the security of full railing sections.




## 066 Style C10

Color: Black Pine Texture with Clear Glass

CCBB-066-complies-with-IBC, IRC, and IFBC



- A** Easily Attaches to Weibury® C-Series Drawover Post System
- B** Supports 1/2" or Composite Deck Board (Deck Board Not Included)
- C** Solid Inset Construction for Strength & Durability






# Drink Rail

Westbury® Drink Rail adapts to all Westbury® C Series designs. Pre-drilled and ready to install, Drink Rail mounts sturdily and is ready for your wood or composite material to be attached. Convenient and beautiful, Drink Rail creates the perfect spot for your morning coffee or a cool drink in the afternoon.

## SPECIFICATIONS

- Pre-Drilled Westbury® Aluminum Drink Rail (Individually shipped)
- #10 x 5/8" Self-Tapping Screws (Attach to Top Rail)
- #10 x 3/4" Screws (To Attach Deck Boards)
- Drink Rail Length: 31" x 90"
- Drink Rail Width: 2 1/2"
- Supports Wood or Composite Deck Board
- Lifetime Limited Warranty
- Installs on Westbury® C-Series Crossover Post System
- Available in all Westbury® Standard Colors
- Deck Board/Not Included



**D** Underside View of the Seamless Integration of the Drink Rail system

**E** Pre-Drilled to Attach the Top Rail

**F** Easily Attaches to Westbury® C-Series Railing

# POWDER COATING



The raw premium-grade aluminum is inspected to be free of blemishes and is not exposed to the outdoor elements.



The product enters a heated acidic cleaning stage to remove oxidation debris and fabrication oils.



**CLEAN:** City water rinse  
**CLEANER:** Recycling treated process water rinse  
**CLEANEST:** Pure reverse osmosis water rinse  
**SEALER:** Dried-in-place aluminum sealer



A 290 MPH air blast removes water droplets from the gas-treated aluminum. A convection oven completes the dry-off process.



Powder is applied with 18 automated and 2 manual spray guns. Compressed process air is dried to -55°F Dew Point for superior adhesion.



The powder coating is then bonded and adhered to the aluminum sub-straight in a 400-degree cure stage.



The powder coating application itself produces zero VOC emissions. Powder is stored and applied in a climate controlled positive pressure environmental room. Temperature spikes (flashes) always occur per shift maintenance parameters and hot QC checks are completed every hour on product coming off the powder coating line. Parts are not touched by humans/dust during the pre-treat, dry-off, application and cure process to maintain ultimate cleanliness of powder coated parts.



QCI is a ISO 9001 certified and certified AS9100 DPM and AS9100 DPM compliant powder coating application. The powder coating process is accredited by the American National Manufacturing Association and the Powder Coating Institute. Our powder coating is custom blended from a SuperSuzuki Polymer T30 (Highly) thermoplastic resin base, using premium pigmentations to meet AS9100 DPM specifications. Our AS9100 DPM is a fluorocarbon polymer resin system.





Colors shown are an artistic representation of the final color. Please consult our local salesperson for actual powder coating colors.

# Colors

## Standard Colors & Custom Colors

Westbury® Aluminum Railing is offered in a variety of colors and textures to complement your home. Our 12 standard colors include satin, textured and multi-color finishes. Westbury® Aluminum Railing is also available in custom colors to meet your design vision, the possibilities are endless.

## Powder Coating



Verified AAMA 2604 Compliant Powder Coating

## AAMA 2604 & AAMA 2605

DSI uses AAMA 2604 rated powder coating on all Westbury® Aluminum Railing. Our ISO-9000 Certified Powder Coating process offers an uncompromising quality created by state-of-the-art technology. AAMA 2605 Powder Coating is also available as an option for your Westbury® Aluminum Railing.



A Satin Black  
Color Black Fine Texture  
With Level Dropover Post

# Accessories

## Brackets, Posts, Caps, & Flairs

Westbury® Accessories add the finishing touch to your rolltop. A variety of post sizes and wall thicknesses add strength to your railing. The combination of mounts and crossover options provides you with the ability to adapt Westbury® railing to your needs. Optional post caps finished off by the convenience of a 2-piece post fair creates a variety of looks.

## Posts



Testing Results – EZOR-2543 complies with ICC, IRC, and IBC. Note: Please check with local code authorities for requirements.



## Crossovers



Corner Crossover Post<sup>1</sup>

Stair Crossover Post<sup>1</sup>

Level Crossover Post<sup>1</sup>

## Accessories



2 to 10\"/>

Rail Support

Welded Corner




Rail Cap (2\",/>

Rail Cap (2\",/>

Wagner Star Ornamental  
Light-Bow Railcap

## Mounts



Roll & Single Rail Mounts



Stair Mounts



Stair Self-Mounts



Double Self-Mount

<sup>1</sup> Patent No. 6,098,075

# CHR

## Continuous Handrail ALUMINUM

### ADA Compliant Handrail

A variety of rail lengths and accessories complete this system. Available in 8', 10', & 16' Rail Lengths

Available in all the colors shown on page 21.



#### Stair Application



#### Deck Application



- |                   |   |                                  |                     |             |                  |          |
|-------------------|---|----------------------------------|---------------------|-------------|------------------|----------|
|                   |   |                                  |                     |             |                  |          |
| 1-24\"            | Internal Connector                      | Collar Rings<br>(for over-splut) | Internal End Cap    | 180 Elbow   | Adjustable Elbow | 90 Elbow |
|                   |   |                                  |                     |             |                  |          |
| 180° Welded Elbow | Inside Corner Mount<br>(attach to post) | Wall Mount                       | Extended Wall Mount | Wall Return | Wall-End Mount   |          |



Inside Corner Mount & 90° Elbow Detail



Wall Mount & Internal  
End Cap Detail



Extended Wall Mount Detail



180° Welded Elbow Detail



## — DSI FAMILY OF PRODUCTS —



[westburyrailing.com](http://westburyrailing.com)



We have tried to make this catalog comprehensive and to list the products we have in stock. However, we do not have every color, material, equipment and availability. Some items and materials may have been updated since the time of printing. We are not responsible for changes without notice and we will not be responsible for any errors. Please contact us at 800-451-7828.